

- Caby, R., Kienast, J.R. et Saliot, P., 1976. Modèle d'évolution structurale des Alpes Occidentales. *Coll. Intern. C.N.R.S. n° 268, Ecologie et géologie de l'Himalaya*, 85-92.
- Chinner, G.A., 1962. Almandine in thermal aureoles. *J. Petrol.*, 3, 316-340.
- Dal Piaz, G.V. e Govi, M., 1965. Osservazioni geologiche sulla "Zona del Gran San Bernardo" nell'alta Valle d'Aosta. *Boll. Soc. Geol. Ital.*, 84, 1-23.
- de Béthune, P., Laduron, D., Martin, H. et Theunissen, K., 1968. Grenats zonés de la zone du Mont-Rose (Valle Anzasca, Prov. de Novara, Italie). *Schweiz. min. petr. Mitt.*, 48, 437-454.
- de Béthune, P., Laduron, D. et Hocquet (Desmons), J., 1975. Diffusion processes in resorbed garnets. *Contrib. Mineral. Petrol.*, 50, 197-204.
- Desmons, J., Laduron, D. et de Béthune, P., 1977. Grenats zonés de la nappe du Grand-Saint-Bernard et de la nappe piémontaise (Alpes Occidentales). *Mém. Inst. géol. Univ. Louvain*, 29, 327-347.
- Evans, B.W. and Guidotti, C.V., 1966. The sillimanite-potash feldspar isograd in Western Maine, U.S.A. *Contrib. Mineral. Petrol.*, 12, 25-62.
- Fabre, J., 1961. Contribution à l'étude de la zone houillère en Maurienne et en Tarentaise (Alpes de Savoie). *Mém. B.R.G.M.*, 2, 315 p.
- Freer, R., 1979. An experimental measurement of cation diffusion in almandine garnet. *Nature*, 280, 220-222.
- Grant, J.A. and Weiblen, P.W., 1971. Retrograde zoning in garnet near the second sillimanite isograd. *Am. J. Sci.*, 270, 281-296.
- Hollister, L.S., 1969. Contact metamorphism in the Kwoiek Area of British Columbia : an end member of the metamorphic process. *Geol. Soc. Am. Bull.*, 80, 2465-2494.
- Hollister, L.S., 1977. The reaction forming cordierite from garnet, the Khtada Lake metamorphic complex, British Columbia. *Can. Mineral.*, 15, 217-229.
- Loomis, T.P., 1975. Reaction of zoning of garnet. *Contrib. Mineral. Petrol.*, 52, 285-305.
- Platt, J.P. et Lister, G.S., 1978. Déformation, métamorphisme et mécanismes d'écoulement dans le massif de la Vanoise, Alpes penniques françaises. *C.R. Acad. Sc. Paris*, 287 D, 895-898.
- Rumble III, D. and Finnerty, T.A., 1974. Devonian grossularite-spessartine overgrowths on ordovician almandine from Eastern Vermont. *Am. Mineral.*, 59, 558-562.
- Schneider, G., 1975. Experimental replacement of garnet by biotite. *N. Jb. Miner. Mh.*, 1975, 1-10.
- Sivaprakash, C., 1981. Zoned garnets in some scottish dalradian pelites. *Mineral. Mag.*, 44, 301-307.
- Stella, A., 1902. Relazione di rilevamento. *Boll. R. Com. Geol. Ital.*, 33, 36-38 (parte ufficiale).
- Tyler, I.M. and Ashworth, J.R., 1981. Garnet zoning and re-equilibration in the Strontian area, Scotland. *Mineral. Mag.*, 44, 293-300.
- Woodsworth, G.J., 1977. Homogenization of zoned garnets from pelitic schists. *Can. Mineral.*, 15, 230-242.
- Yardley, B.W.D., 1977. An empirical study of diffusion in garnet. *Am. Mineral.*, 62, 793-800.