

NETLOC[®] V2 PRODUCT BROCHURE

UK



NetLoc[®]

DESIGNED & MANUFACTURED IN THE UK

FULLY PATENTED DESIGN



Gigabit
Data Services

NetLoc[®] V2 Specification sheet

Single gang (86 X 86 mm) faceplate and locking cover



The GDS NetLoc[®] 2 socket protector can be loaded with a single or double RJ45 Module.

- Single gang, 1 port
- Single gang, 2 ports

The faceplate has a covered area for local labelling.

Can be used for CAT5, CAT5e
CAT6*, CAT6a*

Features

Enclosed cover
Fits standard 86 X 86 mm back box
Attractive styling
Smooth Polished Surface

Benefits

Secures the data point
Ideal for all locations on trunking
Easy to install
Easy to keep clean

Specifications

Faceplate size	86 X 86 X 13mm
Material	ABS
Colour	White
Conforms to ISO standards	1183, 527,180, 75, 306

To order NetLocV2 please contact your nearest reseller.



*Angled module recommended

NetLoc® V2 Products and Uses



NetLoc® V2



Video Ports



Flat Modules



Angled Modules

All of our products are designed and manufactured in the UK, using materials that are also only sourced in the UK. This means that our products adhere to the highest international standards for production and manufacture.